


## Add a Medication for a Patient

- Select a patient on the first Barnestorm screen by typing in either the patient's chart number or the first 3 letters of their last or first name.
- From Barnestorm Office click the Patient Histories button from the Main Menu. A menu will pop up right underneath that, and from there you will select Medicine History. From Barnestorm POC you will click on Med History.
- Click the **New** button from left panel.
- The **Add / Edit Medicine Code** window will pop up, allowing you to enter a medicine and the related information.
- Enter the medicine by typing a few letters of the medicine into the **Medicine** box and you will get a list of all medicines that contain those letters.
- Select the medicine you want by clicking on it.
- Next, enter the **Effective Date** to indicate when the medication has or will start.
- Click the **N** if the medicine is new or **C** if the medication is being changed.
- By default the primary employee and physician are filled in, but you may change either or both of these as needed. POC users will not be able to change the employee.
- Type in a **Dose / Frequency / Route**. You must type this information—the medication cannot be saved without it.



The screenshot shows a software window with a title bar that reads "Dose / Frequency / Route". Below the title bar is a text input field containing the text "200 MG 1 TABLET BY MOUTH EVERY 4-6 HRS AS NEEDED TAKE FOR ...". To the right of the text input field is a small vertical scroll bar.

- Type in what the medication is treating in the **Treatment** area if needed.
- Under Schedule, click button(s) as needed to indicate when the patient should take this medication.
- Click the **Save and Exit** or **Save, then prepare for another medicine** button. The window will close or refresh the screen for

## Add a Medication for a Patient

## Add a Medication for a Patient

**Note:** If your agency wants the Medication Builder screen to show up as default each time, someone with a high security level can go into Codes > Security > Global Settings > Patient Histories. Make the **On Med History, Required the Dose/Freq/Route Builder Panel** equal True. This will change the default for all Barnestorm users.

Knowledgebase

<http://kb.barnestorm.biz/KnowledgebaseArticle50224.aspx>