

New Clinician Basic Training

The list below shows all basic training items required for new clinicians to learn how to use Barnestorm. This training allows the clinician to pause the video, try it on her own, and then resume or rewind the video as needed.

Basic Training

```
.telerik-reTable-1 { border-width: 0px; border-style: none; border-collapse: collapse;
font-family: Tahoma; } .telerik-reTable-1 tr.telerik-reTableHeaderRow-1 { margin: 10px;
padding: 10px; color: #3F4D6B; background: #D6E8FF; text-align: left; font-size: 10pt;
font-style: normal; font-family: Tahoma; text-transform: capitalize; font-weight: bold;
border-spacing: 10px; line-height: 14pt; vertical-align: top; } .telerik-reTable-1
td.telerik-reTableHeaderFirstCol-1 { padding: 0in 5.4pt 0in 5.4pt; color: #3a4663;
line-height: 14pt; } .telerik-reTable-1 td.telerik-reTableHeaderLastCol-1 { padding: 0in
5.4pt 0in 5.4pt; color: #3a4663; line-height: 14pt; } .telerik-reTable-1
td.telerik-reTableHeaderOddCol-1 { padding:0in 5.4pt 0in 5.4pt; color: #3a4663;
line-height: 14pt; } .telerik-reTable-1 td.telerik-reTableHeaderEvenCol-1 { padding:0in
5.4pt 0in 5.4pt; color: #3a4663; line-height: 14pt; } .telerik-reTable-1
tr.telerik-reTableOddRow-1 { color: #666666; background-color: #F2F3F4; font-size: 10pt;
vertical-align: top; } .telerik-reTable-1 tr.telerik-reTableEvenRow-1 { color: #666666;
background-color: #E7EBF7; font-size: 10pt; vertical-align: top; } .telerik-reTable-1
td.telerik-reTableFirstCol-1 { padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-1
td.telerik-reTableLastCol-1 {padding:0in 5.4pt 0in 5.4pt;} .telerik-reTable-1
td.telerik-reTableOddCol-1 { padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-1
td.telerik-reTableEvenCol-1 { padding:0in 5.4pt 0in 5.4pt; } .telerik-reTable-1
tr.telerik-reTableFooterRow-1 { background-color: #D6E8FF; color: #4A5A80; font-weight:
500; font-size: 10pt; font-family: Tahoma; line-height: 11pt; } .telerik-reTable-1
td.telerik-reTableFooterFirstCol-1 { padding: 0in 5.4pt 0in 5.4pt; border-top: solid gray
1.0pt; text-align: left; } .telerik-reTable-1 td.telerik-reTableFooterLastCol-1 { padding:0in
5.4pt 0in 5.4pt; border-top:solid gray 1.0pt; text-align:left; } .telerik-reTable-1
td.telerik-reTableFooterOddCol-1 { padding: 0in 5.4pt 0in 5.4pt; text-align: left;
border-top: solid gray 1.0pt; } .telerik-reTable-1 td.telerik-reTableFooterEvenCol-1 {
padding: 0in 5.4pt 0in 5.4pt; text-align: left; border-top: solid gray 1.0pt; }
```

Important: For RNs and clinicians who do OASIS visits, please use [New Clinician Comprehensive Training](#) instead of Basic Training.

Knowledgebase

<http://kb.barnestorm.biz/KnowledgebaseArticle50958.aspx>